

PRODUCT CATALOG







OLYPHANT - 944 UNDERWOOD RD, OLYPHANT, PA, 18447 - 570.343.2458 KINGSLEY- 9495 MAIN STREET, KINGSLEY, PA, 18826 - 570.289.1000 WWW.MASTERSCONCRETE.COM

Contents



01 WALL BLOCK Wall Block, Retaining Walls, Caps, Columns



17 STEPS AND STEP UNITS Precast Units, Perm-Entry, Bilco, Decorative



33 GREY BLOCK GeoGrid, Bagged Product, Tools & More



39 FABRICATION & RAIL Stock & Custom, powder coated, aluminum, vinyl



11 PAVERS

Pavers & Patio Block

25 UTILITY: COMMERCIAL & RESIDENTIAL


Water Management to Complete Custom Solutions



35 OUTDOOR LIVING

Firepits to Outdoor kitchens







ST. JOES | SCRANTON

Stacked Stone was chosen for this project to re-contour an area for upgraded sidewalks, ramps and stairs next to an adjacent parking area. Stacked stone was chosen for its outstanding appearance unique in the retaining wall market. Masters also provided the precast step units and fabricated and installed the railings for this project.



MASTERS EXCLUSIVE RETAINING WALL SYSTEM SUPERIOR VERSATILITY

The MagnumStone™ retaining wall system was developed with the engineer, designer and installer in mind. MagnumStone's durable, high strength concrete SecureLugs fit into the lower unit's hollow core, allowing significant lateral movement without losing the unit interlock. The wet-cast manufacturing process provides the units with high strength, low absorption and great freeze/thaw results.

Tapered sides make it easy to build tight curves and straight walls with complete accuracy. The MagnumStone's vertical and horizontal hollow core, filled with clear crushed gravel, provides added weight, an excellent wall drainage system and a superb connection with the geosynthetic reinforcements.









INSIDE CURVE



UNMATCHED BEAUTY | STONE FACE

Every block can be faced with a beautiful stone veneer available in 2 colors. The stone does a masterful job of hiding the staggered seams.



OUTSIDE CORNER

INSIDE CORNER

OUTSIDE CURVE

PLANTABLE WALL



ALSO AVAILABLE IN LEDGE FACE














DIMENSIONS

Face Width 48" Back Width Height Face Area Weight

39" 24" 24" 8 sq. ft. 1350 lbs











LARGE SCALE RETAINING WALL SYSTEM

Masters Stacked Stone Bin Blocks - a large Retaining Wall Solution for jobs of all sizes. Our Stacked Stone Blocks are made with Green (fresh) concrete which adds structural stability and color consistency. The unique Stacked Stone face amplifies the traditional beauty of any landscape, while the pattern hides and blurs seams.



STONE FACED CAPS

We also offer stone textured caps to complete and compliment the Stacked Stone Bin-Block.



ENGINEERED FOR EASE

Keyways, male and female, along with inset lifting hooks aid with alignment and placement.



WAI

AMOND



DIMENSIONS 6" x 16" x 12" 6" x 16" x 12" 6" x 17.25" x 12"



DIMENSIONS 6' x 2' x 2' 3' x 2' x 2' 6'











DIAMOND / PRO

The Diamond Pro® retaining wall system is an ideal choice for largescale projects. With a rough-hewn face, the Diamond Pro Stone Cut® product gives landscapes substance











FORTUS SYSTEM

Ideal for everything from residential landscaping to commercial projects, Fortus Square Foot's beautiful and distinctive color blends are unsurpassed in the industry and feature a perfect combination of beauty and strength. Bring your dreams to reality through Fortus Square Foot's maximum layout creativity when building curves, corners and angles as well as set-back or near-vertical walls. Due to its patented SecureLug[™] Variable Connection System, The Fortus Square Foot[™] system combines durable, precast concrete with incredible ease of installation.



The single sided splitface Stonevista 6" Standard unit is extremely versatile for retaining walls of all sizes using either near

vertical or set-back applications. At 6"x18" it provides the installer with a tremendous advantage compared with many 6" high products on the market today, allowing the unit to cover more Sq. Footage with every unit placed.

CHATEAU WALL

Chateau Wall is finished on all sides making it the perfect choice for double sided applications. With Chateau Wall, you can create effortless pillars, benches, or a custom outdoor kitchen. Chateau Wall's versatile design allows for endless possibilities, while ease of installation makes it the ideal choice for both professional and novice installers.

GARDEN WALL

Features unique handholds for ease of placement, as well as a rear lip for interlocking and setback.









QUARRY WALL CAPS

Quarry Wall Caps provide the most natural looking wall cap and are available in a range of sizes. Finish any wall, stone, paver, or system, with the natural look of stone. Caps feature desirable rough hewn edges and textured surfaces.



DIMENSIONS 6" x 13.5" x 2.5" 12" x 13.5" x 2.5" 18" x 13.5" x 2.5" 24" x 13.5" x 2.5"

PIER CAPS LIGHT / PYRAMID / FLAT

Quarry Caps provide the most natural looking column cap and are available in a range of sizes. Finish any column with the natural look of stone. Caps feature desirable rough hewn edges and textured surfaces.

We also offer blank columns for veneer.




DIMENSIONS

24" x 24" x 3"	All	
26" x 26" x 3"	All	
28" x 28" x 3"	Flat	
30" x 30" x 3"	Flat	
32" x 32" x 3"	Flat	

LIGHT






PYRAMID

FLAT



ADHESIVE

Masters is your source for Itegral Lighting, glues, and geogrid.





ROUND FACE

0

These beams have all the benefits of our regular Stonewood Beam with a new rounded face.

Get the look of real wood without the worry of rot or replacing every few years.



DIMENSIONS

just about any other use for wood outdoors.









EURO COBBLE DRIVEWAY

This 5 piece combination of square & rectangular configurations is inspired by the old cityscapes of European hamlets. Designed to be placed in a handsome, running bond pattern.



0 DAV 0 Π





DIMENSIONS

5" x 8 1/2" 5" x 7 1/2" 5" x 6 1/2"



EURO COBBLE


This 5 piece combination of square & rectangular configurations is inspired by the old cityscapes of European hamlets. Designed to be placed in a handsome, running bond pattern.

This design kit is a durable alternative for walkways, patios, or driveways.

*SPECIAL ORDER



Masters is your source for polysand & pave edge.





ш

2

U

SAND

5


CAMBRIDGE PAVERS



WELL STOCKED

While Masters Concrete Products is a distributor for Cambridge and can quickly receive any Cambridge product you desire we keep a stock of the following from the Ledgestone & Kings Court Series:

Ledgestone 3 Pc. Design Kit. Ledgestone XL 3 Pc. Design Kit. Ledgestone XL Smooth 3 Pc. Design Kit. Kings Court



LEDGESTONE 3-PC. DESIGN KIT TOFFEE / ONYX





COLOR OPTIONS

While Cambridge Pavingstones come in over 25 colors, we stock the following.




SAHARA / CHESTNUT



TOFFEE / ONYX



SAHARA / CHESTNUT



KINGS COURT HOLLAND PAVERS SAHARA / CHESTNUT







6" x 6"



LEDGESTONE XL SMOOTH 3-PC. DESIGN KIT 15 3/4" x 23 5/8" 15 3/4" x 15 3/4" 7 7/8" x 15 3/4"





LEDGESTONE XL 3-PC. DESIGN KIT 15 3/4" x 23 5/8" 15 3/4" x 15 3/4"



7 7/8" x 15 3/4"

9 3/32" x 13 5/8" 9 3/32" x 9 3/32" 4 17/32" x 9 3/32"

DIMENSIONS

LEDGESTONE 3-PC. DESIGN KIT





Masters Concrete Step Units is the preferred manufacturer, supplier, and installer for many developments throughout the region. Our superior step units and attention to detail make Masters Concrete Step Units your one stop shop.

18





SUPERIOR ENGINEERING


Precast concrete steps are a staple of Masters due to their durability, custom dimensions, and timely production process. With over 100 different size configurations, you will find the right precast concrete steps and stairs here at Masters. No matter what kind of precast concrete steps you need, we'll meet your requirements and exceed all expectations.

Each step unit tread has a hand troweled brush finish to give it a custom poured in place look.


Units are delivered and installed promptly for immediate use. No forming, pouring, wasted time, or messy clean up. The result is you pocket the savings.

Every tread and riser is engineered to exact uniform dimensions to satisfy rigid building requirements. Safety beveled steps reduce wear. Custom brush finish assures greater grip in slippery weather.

Hand Brushed




DIMENSIONS



STEPS // 48" PLATFORM

AVAILABLE IN 4',6', & 8' WIDTHS







Bilco basement doors allow homeowners to add code-compliant living space or storage areas to their home. Large items such games tables and furniture for finished areas, or pool supplies and patio furniture for storage areas, move easily through the wide opening of a Bilco door.



OPEN YOUR BASEMENT

The PermEntry Basement Entrance adds sales appeal and value by giving homeowners access directly from the basement to the outdoors. When you plan for a PermEntry Basement Entrance, you open up your basement to a number of opportunities.





STAKWEI

This modular system is one of the fastest and least expensive ways to add code-compliant emergency egress to any basement area. Simply "stack" the modules to accommodate your foundation height and add natural daylight to your finished basement. Watch how easy it is to add emergency egress to your home.





PermEntry Size	Footing to Grade
S	35" - 41"
0	52" - 58"
В	59" - 66"
C*	67" - 74"
D*	75" - 82"
E*	83" - 91"
F*	92" - 99"
F*	92" - 99"







NATURAL LEDGE STEPS

From our custom molds inspired by mountain rock and field stone this 4 piece collection - each having distinctive characteristics of their own - can be stepped back, rotated, and positioned in dozens of ways.

Up to 8 different face & edge textures and be utilized to build a stair case of inimitable appearance.





QUARRY STEPS & LANDING

Our Quarry Steps are made under the most stringent standards and are steel reinforced so that you need only enjoy. With heavy Chiseled textures on three sides, these steps can be used with a retaining wall or just as easily stand out on their own.

An amazing 3' by 4' or 6' Quarry Stone Landing Step that blends perfectly with our existing 4' & 6' Quarry Stone Steps. A landing step size of 72" x 30" makes a dramatic statement that upgrades any entryway.

DIMENSIONS

Steps 4' x 6" x 16" 6' x 6" x 16"

Landing Steps 6' x 6" x 30"



DIMENSIONS 3' x 4' irregular size

QUARRY TREADS


Features the same build standards as our Quarry Steps but in a 2.5" form factor.

DIMENSIONS



STONEWOOD BEAM

A palette of our 4' long Stonewood Beam can easily be shifted into a set of steps. Mix and match with other step kits for a completely distinctive wood and stone look.





Sono-tubes are a pain, they get wet & soggy losing shape; building forms is time consuming and pouring concrete can be difficult and messy. Then you lose time waiting for the concrete to set. And finally you have to wait for an inspection before moving on with the job.

Masters offers the Pierfect solution – our high quality, high strength Precast Piers. We have 4 standard types to choose from and will custom build to your specs.



A COMPLETE LINE FOR WASTE WATER

Discover the world of waste water utility items available from Masters Concrete Step Units.

Whether you're in need of a simple Septic Tank, grate or a complete series of man holes and water management - Masters has the solution.

The same quality materials and craftsmanship used in our concrete step units is masterfully applied to our waste water utility offerings.



DISTRIBUTION BOXES

Masters Commercial Precast offers several options for Distribution Boxes.

Accessories Standard Grate Box Lid Heavy Duty Traffic Grate

Tufftite Trench Trench Grate

MAN HOLES

We offer many options for Manholes.

Risers & Tops

48" Diameter x 48" 48" Diameter x 36" 48" Diameter x 24" 48" Diameter x 12" Flat top - 48"

Diameter x 8"

SEPTIC TANKS

Septic tanks just aren't that glamourous, but we are excited to announce our New Low Profile Tank. Our new low profile tank is lower so you don't have to dig as deep. Also, for the first time, Masters will be offering pump packages with the tanks simplifying how you buy your materials. With our newly expanded fleet of delivery equipment with increased capacities, you can be sure to get your precast materials when you need them to keep your job on schedule.



- Low profile design
- Increased wall thickness for durability
- Optional pump packages available
- Fleet to get the job done
- Experienced Drivers
- Single or double compartment
- Multiple tank size options

SIZES AVAILABLE

500 gallon pump tank 1000 gallon 1300 gallon 1500 gallon





SEPTIC TANK RISERS

CATCH BASINS

Catch Basin floors are 8" thick. Our 30" Basin is available with 18" or 30" knockouts.

DIMENSIONS 2' x 2' x 2'

3' x 5' x 3' (OD 36") 3' x 5' x 2' (OD 30")





Concrete Trench Drain



Bases

Cone

48" Diameter x 48" 48" Diameter x 36" 48" Diameter x 24"

48" Diameter x 36"

Frames 4" 6"

Covers 24" Plain or Sewer Accessories Rubber Neck Exterior Coating Rubber Boots Ladder






CUSTOM CAST TO YOUR **ENGINEERED SPECS**

Don't waste time with Sono-Tubes, building forms and ordering concrete. We've got all that taken care of. Just send us your specs and we'll take care of the rest. Well, except for setting it, you still have to do that.







- Each base is custom cast to engineered specs
- Conduit Runs to top
- Ground Wires
- Embedded Side Hooks for easy moving & placement
- Conduit Inlet on side, below grade, for easy wiring intake
- Available with cast-in-place or bolt-on plastic covers in a variety of colors





4 TYPES AVAILABLE

Don't waste time with Sono-Tubes, building forms, ordering and pouring concrete, or all the time lost waiting for them to set. We've got all of that taken care of. Well, except for setting it, you still have to do a little work.



CYLINDER

18",24", 36" Diameter Available Various Heights

PYRAMID

12" Sq. Top 24" Sq. Base 48" Tall 1300 lbs



- Save Time & Save on Labor (no on-site pour)
- Avoid small load charges on concrete
- Hassle free inspections
- Just Dig, Drop, and Backfill
- Boom Truck Delivery available
- Custom sizes available to spec



STANDARD 12" Diameter 24" x 24" x 10" Base 48" Tall 900 lbs

SQUARE 24" Square 2300 lbs





YOU DREAM IT. WE CAST IT.

We're not afraid of a challenge and with our extensive experience in building forms and construction, we are the best custom precast manufacturer in the region.

• Boxes

- Massive Piers
- Cell Tower Bases
- Boom Truck Delivery
- Energy Tower Bases
- Much more







FOR FURTHER INFORMATION CALL 570.289.1000





DECK FOOTERS

The MCP Deck Footer is the Swiss Army Knife of deck footers. Tested at over 4000 psi weight load, our deck footers accept 4" and 6" posts, have horizontal channels for joist's, and nubs to keep wood and moisture out of contact.



Accepts 4x4" & 6x6" post



DIAMOND SHADOW UTILITY PADS

Perfect for setting propane tanks, creating slip resistant walking paths, and outdoor living spaces.

DIMENSIONS

36" x 24" x 2" 24" x 24" x 2" 18" x 18" x 2"

POST BLOCK

The Post Block is by far the easiest way to set a mailbox or any type of 4"x4" post. No need to dig, simply set on level ground and drop in the post.

DIMENSIONS

20" x 14" x 3" Accepts 4"x4" post







PARTIE

DALY

Channels for joist





PARKING BLOCKS

Blocks for parking area's.

72" Long






CHIMNEY CAPS


No more need to build a form high atop a roof and pour concrete. Our Chimney cap is the most cost effective, time saving, and elegant way to finish off a chimney.

DIMENSIONS


16" x 16" 16" x 20"




SOLIDS



PARTITIONS/STRECHERS




SASH CORNERS



CHIMNEY BLOCK

FLUES & ACCESSORIES



16" X 16" CHIMNEY BLOCK







Masters is your source for masonry tools & supplies.








12" SASH



10" L-CORNER




12" L-CORNER


L CORNERS








10" STRETCHER



12" STRETCHER





There really is nothing better then a relaxing evening outside with a fire roaring safely confined to a Masters Fire Pit.



ROUND & SQUARE FIRE PITS

MCP's fire pits come complete, pallet packaged, ready to dress up your outdoor oasis. Finished kits measure 48 inches by 14 inches. Additional rows can be added for more height.

Accessories include an interior metal insert.

DIMENSIONS

CAMBRIDGE FIRE PITS



PYZIQUE ROUND GAS FIRE PIT KIT


- Natural gas (Liquid propane conversion kit available)
- 150K BTU, 24" Penta Burner produces even flame in flower-like pattern
- 32" inside diameter, 50" outside diameter, 16" high
- Available with Cast Stone (Bluestone & Chestnut), Granite (Black Uba Tuba & Venetian Gold) or Bullnose Ring (Bluestone & Chestnut)



MAYTRX SQUARE FIRE PIT KIT

- Optional Grate Insert turns Fire Pit into BBQ
- 23" inside dimension, 44" outside dimension, 21" high
- Shown in Renaissance Toffee/Onyx with optional Grate Insert and Barbeque & Fire Pit Spark Screen









GRILLS, KITCHENS & MORE

Masters distributes a complete line of outdoor living spaces including grills, pizza ovens, sitting areas, outdoor kitchens and more from Cambridge.

LEARN MORE WWW.CAMBRIDGEPAVERS.COM





ORNAMENTAL · INDUSTRIAL · FUNCTIONAL THE FINISHING TOUCHES

Nothing completes a job quite like a nice railing. At Masters Fabrication & Rail we offer a complete variety of ornamental wrought iron and commercial railing that add safety and value to your property.

Masters Fabrication and Rail offers **all stock and custom rail with a Powder Coated finish.** Powder coating is an advanced method of applying a decorative and protective finish and is the best method to ensure durability, weather resistance, and color retention. You will have confidence in a finish that is Salt Water & UV resistant and is virtually maintenance free – no yearly painting required! Stock rail is available in a standard black finish, but don't worry we have many custom color options available!

Our rail also meets all ICC codes.

VARIETY OF FINISHES

- Aluminium
- Powder-coated
- Custom
- Vinyl

CUSTOM FABRICATION

- Indoor Decorative Rail
- Stairways
- Gates
- Open Grate Walkways and Platforms


JOBS BIG OR SMALL

- Commercial, residential, building complexes & hospitals
- Industrial, distribution warehouses, manufacturing
- Stadiums, riverwalks, arenas, convention centers
- Heavy Industrial, automotive, utility

FREE ESTIMATES **570.289.1000**













40














000 OCREATHERM" 000 RADIANT UNDERLAYMENT

Radiant heat does a few things very well. By warming the floor and objects in the room, rather than trying to heat the air and then push it around your house, it's more effective and efficient. It also creates a healthier environment by improving indoor air quality and creating an environment that is less conducive to mold, bacteria, viruses and dust mites.

Reduced operating costs

ATHERM

NUDUR

- Reduced environmental impact through efficient heating
- Promotes healthier environment, including reducing allergens
- More comfortable feeling home
- · Can be used efficiently in outdoor areas



When placing concrete in cold weather, protecting the asset (the concrete) is not optional. For years now, experts have used insulated blankets to both protect the concrete and speed the curing process at the same time. Concrete cures due to a chemical reaction that generates heat as a byproduct, so insulating the concrete allows the heat to be trapped and used to aid in the curing process. Concrete cures fastest in very warm conditions, Therefore this makes the use of an insulated blanket a practical and theoretically sound practice.



 $\boldsymbol{\mathcal{O}}$ Ш Z 60 CURING






By using NUDURA Insulated Concrete Forms (ICF) to build your next home you can ensure you are choosing the best building solution available today. Insulated Concrete Forms provide Substantial benefits over traditional building methods. The combination of rising energy requirements and rising fuel costs, mean that we need to make the most of building technology to heat and cool our homes. This requires a whole building approach to design, which doesn't have to be complicated. NUDURA Insulated concrete forms are energy efficient construction materials that provide maximum comfort and energy solutions for your entire home.

SANDSTONE PATTERNS

HALF BOND




HERRINGBONE | MOD 67% 12" x 24" 33% 12" x 12'

HERRINGBONE | 90°

100% 12" x 24"

BASKET WEAVE



57% 24" x 24" 29% 12" x 24" 14% 12" x 12"

TUDOR



TILE 2

50% 12" x 24" 25% 24" x 24" 25% 12" x 12'


79% 24" x 24" 21% 12" x 12"

HOLLAND DUTCH

COLORS

SOLIDS





SPECIAL ORDER





ONLINE

Visit our website for

- New Product Info
- Warranty Information
- Installation Guides
- Much more...

WWW.MASTERSCONCRETE.COM

f y 🞯



PRODUCT INSTALLATION

BASE PREPARATION

- 3. The base layer should be thoroughly compacted with enough water to aid compaction, increase density and also control dust.
- 4. Once the desired compaction has been achieved place a 1" bedding layer of concrete sand on top, ensuring that the base is level by using a string line or screed board.

LAYING THE PATIO

- texture.
- 3. Slabs may be laid with up to $1/2^{"}$ joints and filled with dry sand on completion of installation.



Masters pieces are made from natural materials. Some color variations can be expected. There is no guarantee for perfect color matching.

EFFLORESCENCE

Efflorescence is a white powder-like deposit common in all concrete products. Efflorescence will disappear naturally in time with weathering. This natural occurrence will not affect the structural integrity of our product. MCP assumes no responsibility or liability for this occurrence.

WARNING

PRODUCT INFORMATION

MCP Products are intended for walkways and patios only. Under no circumstances should they be used where they could incur vehicular traffic! With the exception of Euro Cobble Pavers.

1. Remove topsoil from the area to be paved.

2. Base materials should be 2A Modified to be placed in a 6" layer. The thickness of base will vary with the type of soil sub grade and climate. Colder climates may require thicker bases.

5. Patios should be laid with slope to drain off rain water. This slope (away from buildings) is normally a drop of 1 " for each yard in length.

- 1. Choose the design that you wish to lay, then starting in a corner carefully place the first slab in position and gently tap down using rubber mallet.
- 2. The bedding layer of loose concrete sand allows for leveling the surface of each slab which may vary from piece to piece due to their
- Under no circumstances should a mechanical compactor be used directly on the slab surface.

CONTACT

OLYPHANT

944 UNDERWOOD RD OLYPHANT, PA, 18447 570.343.2458

KINGSLEY

9495 MAIN STREET KINGSLEY, PA, 18826 570.289.1000

WWW.MASTERSCONCRETE.COM



